EMACS text editor

Do NOT write on this test. Record all answers on the bubble sheet. Closed book. No notes. Work strictly from memory. No calculators. No time limit. Scratch paper okay.

EMACS: Which emacs commands have what meaning? (If no match mark J.)

```
(G) C-x
                                            (I) C-x o
           (C) C-g (E) C-n
 (B) C-f
           (D) C-1 (F) C-p
                               (H) C-x n
 1/4p.
        go to previous character (left 1)
         save-as current buffer, specify filename
 3/4p.
        jump to next window
        go to next character (right 1)
 4/4p.
 5/4p.
         cancel the command in progress
EMACS: Which emacs commands have what meaning? (If no match mark J.)
           (C) C-h t
                       (E) C-p \qquad (G) C-x C-f
 (A) C-d
                                                (I) C-z
 (B) C-e
           (D) C-n
                        (F) C-u
                                 (H) C-x C-1
 6/4p.
          go to next line (down 1)
          load a new file
  7/4p.
 8/4p.
          go to end of line
 9/4p.
          go to start of line
          go to previous line (up 1)
 10/4p.
EMACS: Which emacs commands have what meaning? (If no match mark J.)
 (A) C-
           (C) C-f
                     (E) C-r (G) C-u
                                           (I) C-x C-i
 (B) C-_
           (D) C-1 (F) C-s (H) C-x 2
 11/4p.
          center and redraw screen
 12/4p.
          open a second window
          insert a file
 13/4p.
          undo last change
 14/4p.
 15/4p.
          hold down CTRL
EMACS: Which emacs commands have what meaning? (If no match mark J.)
 (A) C-d
                             (E) C-x C-s
                 (C) C-h t
                                           (G) ESC-
                                                               (I) M-
 (B) C-delete
                (D) C-t
                             (F) C-x o
                                           (H) ESC-x rmail
 16/4p.
          show the tutorial
 17/4p.
          run mail
 18/4p.
          delete current character
          press ESC first
 19/4p.
 20/4p.
          save current buffer, same filename
EMACS: Which emacs commands have what meaning? (If no match mark J.)
 (A) C-c \quad (C) C-1 \quad (E) C-s
                                    (G) C-x C-q (I) C-z
           (D) C-p \qquad (F) C-x C-c
 (B) C-k
                                   (H) C-y
 21/4p.
          paste back what was deleted
 22/4p.
          exit/quit
 23/4p.
          shell out
          cut to end of line
 24/4p.
 25/4p.
          start incremental search
```

Total points 100.

Answer Key (points per line)

```
1 (4).
 2(4).
         J
         Ι
 3(4).
 4 (4).
         В
         С
 5 (4).
 6(4).
         D
         G
 7(4).
 8 (4).
         В
 9 (4).
         J
10 (4).
         E
         D
11 (4).
12 (4).
         Н
13(4).
         J
14 (4).
         В
15 (4).
         Α
         С
16 (4).
17(4).
         J
18 (4).
         Α
19 (4).
         Ι
20(4).
21(4).
         Н
22 (4).
         F
23 (4).
         Ι
24(4).
         В
```

Total points 100.

E

25 (4).