Unix and Rmail commands

Do NOT write on this test. Record all answers on the bubble sheet. Closed book. No notes. Work strictly from memory. No calculators. No time limit. Scratch paper okay.

UNIX: Which unix shell commands have what meaning? (If no match mark J.)

(A) cap (B) cat (C) cd (D) cwd (E) dir (F) gcc (G) ls (H) pwd (I) type

- 1/4p. compile a program
- 2/4p. type out a text file
- 3/4p. tell what directory you are in
- 4/4p. show the contents of the directory

UNIX: Which unix shell commands have what meaning? (If no match mark J.)

- (A) df (B) du (C) emacs (D) exit (E) full (F) quit (G) space (H) top (I) volume
- 5/4p. see how full the disks are
- 6/4p. see what is running
- 7/4p. see how much disk space you are using
- 8/4p. log out

UNIX: Which unix shell commands have what meaning? (If no match mark J.)

 $(A) \ \texttt{del} \qquad (B) \ \texttt{delete} \qquad (C) \ \texttt{emacs} \qquad (D) \ \texttt{pass} \qquad (E) \ \texttt{passwd} \qquad (F) \ \texttt{pwd} \qquad (G) \ \texttt{ren} \qquad (H) \ \texttt{rename} \qquad (I) \ \texttt{rm}$

- 9/4p. change your password
- 10/4p. rename a file
- 11/4p. delete a file
- 12/4p. edit a file

UNIX: Which unix shell commands have what meaning? (If no match mark J.)

 $(A) \texttt{fg} \quad (B) \texttt{gcc} \quad (C) \texttt{md} \quad (D) \texttt{mkdir} \quad (E) \texttt{rd} \quad (F) \texttt{rm} \quad (G) \texttt{rmdir} \quad (H) \texttt{w} \quad (I) \texttt{who}$

- 13/4p. delete a directory
- 14/4p. create a directory
- 15/4p. see who is logged in
- 16/4p. return from shell-out

RMAIL: Which rmail commands have what meaning? (If no match mark J.)

(A) C-d (B) C-g (C) C-x C-i (D) C-x i (E) d (F) g (G) m (H) q (I) x

- 17/4p. deliver new mail
- 18/4p. exit from rmail
- 19/4p. insert a file

RMAIL: Which rmail commands have what meaning? (If no match mark J.)

 $(A) \ \texttt{C-c} \ \texttt{C-c} \quad (B) \ \texttt{C-x} \ \texttt{i} \quad (C) \ \texttt{c} \quad (D) \ \texttt{d} \quad (E) \ \texttt{g} \quad (F) \ \texttt{n} \quad (G) \ \texttt{p} \quad (H) \ \texttt{q} \quad (I) \ \texttt{r}$

- 20/4p. continue editing a message
- 21/4p. view the previous letter
- 22/4p. start a new letter

RMAIL: Which rmail commands have what meaning? (If no match mark J.)

(A) C-c C-c (B) C-c C-s (C) C-x i (D) d (E) m (F) n (G) t (H) v (I) x 23/4p. view the next letter 24/4p. send the letter

25/4p. throw away the current letter

Total points 100.

1	(4).	F	
2		В	
3	(4).	Н	
	(4).	G	
5	(4).	А	
6	(4). (4).	Н	
7	(4).	В	
8	(4).	D	
9	(4).	Ε	
10	(4).	J	
11	(4).	Ι	
12	(4).	С	
13	(4). (4). (4). (4). (4).	G	
14	(4).	D	
15	(4).	Н	
16	(4).	А	
17	(4).	F	
	(4).	Н	
19	(4).	D	
20	(4).	С	
	(4).	G	
22	(4).	J	
23	(4).	F	
	(4).	А	
25	(4).	D	

Answer Key (points per line)

Total points 100.